

NEMPAL[®] 111 Weatherproof Silicone SealantVersion:
26-01Revision Date:
26 June 2026Date of Last Issue:
01/09/2024Date of First Issue:
01/09/2024**SECTION 1: Identification of the hazardous chemical and of the supplier****1.1 Product identifier**Name : NEMPAL[®] 111 Weatherproof Silicone Sealant**1.2 Other means of identification**

No additional information available

1.3 Recommended use of the chemical and restrictions on use

Recommended use : Sealant

1.4 Supplier details

Company : Bond Alike Sdn. Bhd.
Address : No. 16, Jalan Inovatif 2/3, KIIP@Kuala Langat, 42700 Banting, Selangor, Malaysia.
Phone : +603 5889 1615
Email : sales@nempal.com

1.5 Emergency phone number

+603-5889 1615

SECTION 2: Hazards identification**2.1 Classification of the hazardous chemical**

Classification according to Industry Code of Practice on chemicals classification and hazard communication (2019)

Serious eye damage or eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Chronic Hazard, Category 3	H412

2.2 Label elements

Labelling according to Industry Code of Practice on chemicals classification and hazard communication (2019)

Hazard pictograms (GHS MY)	:	
Signal word (GHS MY)	:	Warning
Contains	:	BUTAN-2-ONE O,O',O''-(VINYL-SILYLIDYNE)TRIOXIME; BUTAN-2-ONE O,O',O''- (METHYL-SILYLIDYNE)TRIOXIME; N-(3-(TRIMETHOXY-SILYL)PROPYL)ETHYLENEDIAMINE
Hazard statements (GHS MY)	:	H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation. H412 - Harmful to aquatic life with long lasting effects. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling.
Precautionary statements (GHS MY)	:	P272 - Contaminated work clothing should not be allowed out of the workplace P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - IF ON SKIN: Wash with plenty of water/...

NEMPAL® 111 Weatherproof Silicone Sealant

Version:
26-01

Revision Date:
26 June 2026

Date of Last Issue:
01/09/2024

Date of First Issue:
01/09/2024

2.3 Other hazards that do not result in classification

No additional information available

SECTION 3: Composition and information of the ingredients of the hazardous chemical

3.1 Substances

Not applicable

3.2 Mixtures

Name	Product identifier	%
Poly[oxy(dimethylsilylene)]	(CAS-No.) 9016-00-6	35 – 55
Silica, amorphous, fumed, crystalline-free	(CAS-No.) 112945-52-5	10 – 35
Dimethyl silicone	(CAS-No.) 9006-65-9	0 – 10
2-Butanone, O,O',O''-(methylsilyldiyl)trioxime	(CAS-No.) 22984-54-9	0.5 – 2
2-Butanone, O,O',O''-(ethenylsilyldiyl)trioxime	(CAS-No.) 2224-33-1	0 – 2
Glycidoxypropyltrimethoxysilane	(CAS-No.) 2530-83-8	0.1 – 1
1-Propanamine, 3-(triethoxysilyl)-	(CAS-No.) 919-30-2	0.1 – 1
Dibutyltin dilaurate	(CAS-No.) 77-58-7	0.05 – 0.2

SECTION 4: First-aid measures

4.1 Description of necessary first aid measures

First-aid measures after inhalation	:	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	:	Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	:	Call a poison centre or a doctor if feel unwell.

4.2 Most important symptoms/effects, acute and delayed

Symptoms/effects after skin contact	:	May cause an allergic skin reaction.
Symptoms/effects after eye contact	:	Eye irritation.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	:	Treat symptomatically.
-----------------------------------	---	------------------------

SECTION 5: Fire-fighting measures

NEMPAL[®] 111 Weatherproof Silicone SealantVersion:
26-01Revision Date:
26 June 2026Date of Last Issue:
01/09/2024Date of First Issue:
01/09/2024**5.1 Suitable extinguishing media**

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2 Physicochemical hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3 Special protective equipment and precautions for fire fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment, and emergency procedures****6.1.1 For non-emergency personnel**

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2 For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection"

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Precautions for safe handling : Ensure good ventilation of the workstation. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls and personal protection**8.1 Control parameters**

NEMPAL® 111 Weatherproof Silicone Sealant

Version:
26-01

Revision Date:
26 June 2026

Date of Last Issue:
01/09/2024

Date of First Issue:
01/09/2024

No additional information available

Exposure limit values for the other components

No additional information available

8.1.1 Biological monitoring

No additional information available

8.2 Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.3. Individual protection measures, such as PPE

Hand protection : Protective gloves
 Eye protection : Safety glasses
 Skin and body protection : Wear suitable protective clothing
 Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):   

Environmental exposure controls : Avoid release to the environment

SECTION 9: Physical and chemical properties

Physical state : Solid
 Appearance : Paste
 Colour : Various colours
 Odour : Characteristic odour
 Odour threshold : No data available
 pH : No data available
 Melting point : No data available
 Freezing point : Not applicable
 Boiling point : No data available
 Flash point : Not applicable
 Evaporation rate : No data available
 Flammability (solid, gas) : Non flammable.
 Explosive limits : Not applicable
 Vapour pressure : No data available
 Relative vapour density at 20 °C : No data available
 Relative density : ≈ 1.0 (translucent), ≈ 1.4 (white/black/grey)
 Solubility : No data available
 Partition coefficient n-octanol/water (Log Pow) : No data available
 Partition coefficient n-octanol/water (Log Kow) : No data available
 Auto-ignition temperature : No data available
 Decomposition temperature : No data available
 Viscosity, kinematic : Not applicable
 Viscosity, dynamic : No data available
 VOC content : No data available

NEMPAL® 111 Weatherproof Silicone Sealant

Version:
26-01

Revision Date:
26 June 2026

Date of Last Issue:
01/09/2024

Date of First Issue:
01/09/2024

SECTION 10: Stability and reactivity

Reactivity	:	The product is non-reactive under normal conditions of use, storage and transport
Chemical stability	:	Stable under normal conditions
Possibility of hazardous reactions	:	No dangerous reactions known under normal conditions of use
Conditions to avoid	:	None under recommended storage and handling conditions (see section 7)
Incompatible materials	:	No data available
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral)	:	Not classified
Acute toxicity (dermal)	:	Not classified
Acute toxicity (inhalation)	:	Not classified

Silica, amorphous, fumed, crystalline-free (112945-52-5)	
LD50 oral rat	3160 mg/kg
Dimethyl silicone (9006-65-9)	
LD50 dermal rat	> 2008 mg/kg
1-Propanamine, 3-(triethoxysilyl)- (919-30-2)	
LD50 oral rat	1780 mg/kg
LD50 dermal rabbit	4290 mg/kg
LC50 inhalation rat (mg/l)	> 7.35 mg/l/4h
Glycidoxypolytrimethoxysilane (2530-83-8)	
LD50 oral rat	7.01 g/kg
LC50 inhalation rat (mg/l)	> 5.3 mg/l/4h
Dibutyltin dilaurate (77-58-7)	
LD50 oral rat	45 mg/kg
LD50 dermal rabbit	630 mg/kg

Skin corrosion/irritation	:	Not classified
Serious eye damage/irritation	:	Causes serious eye irritation
Respiratory sensitization	:	Not classified
Skin sensitization	:	May cause an allergic skin reaction
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
STOT-single exposure	:	Not classified
STOT-repeated exposure	:	Not classified

BUTAN-2-ONE O,O',O''-(VINYLILIDYNE)TRIOXIME (2224-33-1)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure

BUTAN-2-ONE O,O',O''-(METHYLSILYLIDYNE)TRIOXIME (22984-54-9)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure

NEMPAL® 111 Weatherproof Silicone Sealant

Version:
26-01

Revision Date:
26 June 2026

Date of Last Issue:
01/09/2024

Date of First Issue:
01/09/2024

Aspiration hazard : Not classified.
Viscosity, kinematic : Not applicable

SECTION 12: Ecological information

12.1 Ecotoxicity

Ecology - general : Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

No additional information available

111 Weatherproof Silicone Sealant	
Persistence and degradability	Not rapidly degradable
BUTAN-2-ONE O,O',O''-(VINYL-SILYLIDYNE)TRIOXIME (2224-33-1)	
Persistence and degradability	Not rapidly degradable
BUTAN-2-ONE O,O',O''-(METHYL-SILYLIDYNE)TRIOXIME (22984-54-9)	
Persistence and degradability	Not rapidly degradable

12.3 Bioaccumulative potential

No additional information available

12.4 Mobility in soil

No additional information available

12.5 Other adverse effects

Ozone : Not classified
Other adverse effects : No additional information available

SECTION 13: Disposal information

13.1 Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

NEMPAL[®] 111 Weatherproof Silicone SealantVersion:
26-01Revision Date:
26 June 2026Date of Last Issue:
01/09/2024Date of First Issue:
01/09/2024

SECTION 14: Transportation information

In accordance with IMDG / IATA / UN RTDG.

14.1 UN number

UN-No.(UN RTDG)	:	Not applicable
UN-No. (IMDG)	:	Not regulated
UN-No. (IATA)	:	Not regulated

14.2 UN proper shipping name

Proper Shipping Name (UN RTDG)	:	Not applicable
Proper Shipping Name (IMDG)	:	Not regulated
Proper Shipping Name (IATA)	:	Not regulated

14.3 Transport hazard class(es)**UN RTDG**

Transport hazard class(es) (UN RTDG)	:	Not applicable
--------------------------------------	---	----------------

IMDG

Transport hazard class(es) (IMDG)	:	Not applicable
-----------------------------------	---	----------------

IATA

Transport hazard class(es) (IATA)	:	Not applicable
-----------------------------------	---	----------------

14.4 Packing Group, if applicable

Packing group (UN RTDG)	:	Not applicable
Packing group (IMDG)	:	Not applicable
Packing group (IATA)	:	Not applicable

14.5 Environmental hazards

Dangerous for the environment	:	No
Marine pollutant	:	No
Other information	:	No supplementary information available

14.6 Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)**UN RTDG**

No data available

IMDG

No data available

IATA

No data available

14.7 Special precautions for user

Not applicable

14.8 Hazchem or Emergency Action Code

Not applicable

NEMPAL® 111 Weatherproof Silicone Sealant

Version:
26-01

Revision Date:
26 June 2026

Date of Last Issue:
01/09/2024

Date of First Issue:
01/09/2024

SECTION 15: Regulatory information

15.1 Safety, health, and environmental regulations specific for the hazardous chemical in question

Regulation		Component/ Mixture
Environmental Quality (Chlorofluorocarbons Prohibition) Order 1993	Not applicable	111 Weatherproof Silicone Sealant
Environmental Quality (Industrial Effluent) Regulations 2009		
Environmental Quality (Scheduled Wastes) Regulations 2007		
Control of Industrial Major Accident Hazards Regulations 1996		
Prohibition of Use of Substance Order 1999		
Use and Standards of Exposure of Chemical Hazardous to Health Regulations 2000		
Chemical Weapons Convention Act		
Corrosive and Explosive Substances and Offensive Weapons Act		
Dangerous Drugs Act		
Pesticides Act		
Petroleum (Safety Measures) Act		
Poisons Act 1952		
Poisons (Psychotropic Substances) Regulations 1989		

2-Butanone, O,O',O''-(methylsilyldiyl)trioxime (22984-54-9)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
2-Butanone, O,O',O''-(ethenylsilyldiyl)trioxime (2224-33-1)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
1-Propanamine, 3-(triethoxysilyl)- (919-30-2)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Glycidoxypolytrimethoxysilane (2530-83-8)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Dibutyltin dilaurate (77-58-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory

CANADA

Poly[oxy(dimethylsilylene)] (9016-00-6)
Listed on the Canadian DSL (Domestic Substances List)

Silica, amorphous, fumed, crystalline-free (112945-52-5)
Listed on the Canadian DSL (Domestic Substances List)
Dimethyl silicone (9006-65-9)
Listed on the Canadian DSL (Domestic Substances List)
2-Butanone, O,O',O''-(methylsilyldiyl)trioxime (22984-54-9)
Listed on the Canadian DSL (Domestic Substances List)
2-Butanone, O,O',O''-(ethenylsilyldiyl)trioxime (2224-33-1)
Listed on the Canadian DSL (Domestic Substances List)
1-Propanamine, 3-(triethoxysilyl)- (919-30-2)
Listed on the Canadian DSL (Domestic Substances List)
Glycidoxypolytrimethoxysilane (2530-83-8)
Listed on the Canadian DSL (Domestic Substances List)
Dibutyltin dilaurate (77-58-7)
Listed on the Canadian DSL (Domestic Substances List)

NEMPAL® 111 Weatherproof Silicone Sealant

Version:
26-01

Revision Date:
26 June 2026

Date of Last Issue:
01/09/2024

Date of First Issue:
01/09/2024

EU-Regulations

2-Butanone, O,O',O''-(methylsilyldiyl)trioxime (22984-54-9)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
2-Butanone, O,O',O''-(ethenylsilyldiyl)trioxime (2224-33-1)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
1-Propanamine, 3-(triethoxysilyl)- (919-30-2)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Glycidoxypropyltrimethoxysilane (2530-83-8)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Dibutyltin dilaurate (77-58-7)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

15.2 International agreements

No additional information available

SECTION 16: Other information

16.1 Full text of H-statements

Acute Tox. Not classified (Dermal)	:	Acute toxicity (dermal) Not classified
Acute Tox. Not classified (Oral)	:	Acute toxicity (oral) Not classified
Eye Dam. 1	:	Serious eye damage or eye irritation, Category 1
STOT RE 2	:	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	:	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H317	:	May cause an allergic skin reaction
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H335	:	May cause respiratory irritation.
H373	:	May cause damage to organs through prolonged or repeated exposure.
H412	:	Harmful to aquatic life with long lasting effects.

16.2 Abbreviations and acronyms

BCF - Bioconcentration factor
 EC50 - Median effective concentration
 CAS-No. - Chemical Abstract Service number
 ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road
 ATE - Acute Toxicity Estimate
 EC50 - Median effective concentration
 EC-No. - European Community number
 IATA - International Air Transport Association
 IMDG - International Maritime Dangerous Goods
 LC50 - Median lethal concentration
 LD50 - Median lethal dose
 LOAEL - Lowest Observed Adverse Effect Level
 N.O.S. - Not Otherwise Specified
 NOAEC - No-Observed Adverse Effect Concentration
 NOAEL - No-Observed Adverse Effect Level
 NOEC - No-Observed Effect Concentration
 OEL - Occupational Exposure Limit
 RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
 SDS - Safety Data Sheet

NEMPAL® 111 Weatherproof Silicone Sealant

Version:
26-01

Revision Date:
26 June 2026

Date of Last Issue:
01/09/2024

Date of First Issue:
01/09/2024

16.3 Date Format

Date format : dd/mm/yyyy

Safety Data Sheet (SDS), Malaysia

Safety Data Sheets are updated from time to time. Please ensure that you have the latest copy. SDS may be obtained from the following website www.nempal.com

The information provided is based on our current knowledge and is intended solely to describe the product for health, safety, and environmental compliance purposes. It should not be interpreted as a warranty of any particular product characteristic.
